

## IN THE UNITED STATES DISTRICT COURT FOR THE DISTRICT OF NEW JERSEY

MOSAID TECHNOLOGIES INCORPORATED,

Plaintiff.

V.

SAMSUNG ELECTRONICS CO., LTD., SAMSUNG ELECTRONICS AMERICA, INC., SAMSUNG SEMICONDUCTOR, INC., and SAMSUNG AUSTIN SEMICONDUCTOR, L.P.

Defendants.

Civil Action No. 01-4340 (WJM)

# DEFENDANTS' SECOND SUPPLEMENTAL RESPONSES TO MOSAID TECHNOLOGIES INCORPORATED'S FIRST SET OF INTERROGATORIES (2-4)

Pursuant to Rules 26(e) and 33 of the Federal Rules of Civil Procedure, Defendants Samsung Electronics Co., Ltd., Samsung Electronics America, Inc., Samsung Semiconductor, Inc., and Samsung Austin Semiconductor, L.P. (collectively "Samsung"), by and through its undersigned counsel, hereby provide supplemental responses to *Mosaid Technologies Incorporated's First Set of Interrogatories* (2-4).

#### **INTERROGATORY NO. 1:**

Separately identify each SAMSUNG DRAM and SAMSUNG DRAM product, including an identification of the model or part number used by SAMSUNG.

## RESPONSE TO INTERROGATORY NO. 1:

Subject to and without waiving its previously asserted general and specific objections, Samsung states that to the extent it is in possession of non-privileged documents responsive to this interrogatory, Samsung has produced such documents pursuant to Fed. R. Civ. P. 33(d). To

the extent any supplement answer to this interrogatory is needed, the information may be derived or ascertained from the documents already produced by Samsung, for example, see S 033523-036941, S 037389-041459 and other similar documents.

### **INTERROGATORY NO. 2:**

State the dates on which each SAMSUNG DRAM and SAMSUNG DRAM product was first made, offered for sale, and sold, both in the United States and abroad; and if any devices no longer are sold in the United States, the dates on which they were last sold in the United States.

## **RESPONSE TO INTERROGATORY NO. 2:**

Subject to and without waiving its previously asserted general and specific objections, Samsung states that to the extent it is in possession of non-privileged documents responsive to this interrogatory, Samsung has produced such documents pursuant to Fed. R. Civ. P. 33(d). The answer to this interrogatory may be derived or ascertained from the documents already produced by Samsung, for example, see S 003912-019066, S 056501-056560 and other similar documents. Samsung further states that since Samsung does not, in its ordinary course of business, keep business records according to the specified categories listed in this interrogatory, the burden of deriving or ascertaining the answer is substantially the same for Samsung as for Mosaid.

#### **INTERROGATORY NO. 3:**

State in detail each of SAMSUNG's contentions that any claims of the MOSAID patents-in-suit are invalid, unenforceable or void for any reason, providing an identification of the documents that SAMSUNG contends supports such contentions, of the factual basis for such contentions, and of each person having knowledge of that factual basis.

## **RESPONSE TO INTERROGATORY NO. 3:**

Subject to and without waiving its previously asserted general and specific objections, Samsung responds as follows:

The Mosaid patents-in-suit are invalid for failure to satisfy the conditions of patentability set forth by the Patent Laws of the United States, Title 35, United States Code, and the Rules and Regulations of the United States Patent and Trademark Office ("USPTO"), and specifically at least Title 35 U.S.C. §§ 102, 103, 112 and/or 132. Samsung further states that the following list may include one or more references upon which Samsung relies in support of its contentions:

- l. USP 3,761,899
- 2. USP 3,801,831
- 3. USP 3,942,047
- 4. USP 3,980,899
- 5. USP 4,000,412
- 6. USP 4,001,606
- 7. USP 4,037,114
- 8. USP 4,039,862
- 9. USP 4,080,539
- 10. USP 4,189,782
- 11. USP 4,208,595
- 12. USP 4,216,390
- 13. USP 4,271,461
- 14. USP 4,279,010
- 15. USP 4,307,333
- 16. USP 4,344,005
- 17. USP 4,403,158
- 18. USP 4,433,253
- 19. USP 4,442,481
- 20. USP 4,471,290

- 21. USP 4,486,670
- 22. USP 4,533,843
- 23. USP 4,543,500
- 24. USP 4,581,546
- 25. USP 4,583,157
- 26. USP 4,616,303
- 27. USP 4,621,315
- 28. USP 4,628,214
- 29. USP 4,639,622
- 30. USP 4,642,798
- 31. USP 4,656,373
- 32. USP 4,670,861
- 33. USP 4,689,504
- 34. USP 4,692,638
- 35. USP 4,697,252
- 36. USP 4,716,313
- 37. USP 4,730,132
- 38. USP 4,733,108
- 39. USP 4,740,918
- 40. USP 4,751,679
- 41. USP 4,798,977
- 42. USP 4,807,190
- 43. USP 4,811,304
- 44. USP 4,814,647
- 45. USP 4,820,941

- 46. USP 4,823,318
- 47. USP 4,837,462
- 48. USP 4,843,256
- 49. USP 4,857,763
- 50. USP 4,873,673
- 51. USP 4,878,201
- 52. USP 4,881,201
- 53. USP 4,888,738
- 54. USP 4,906,056
- 55. USP 4,951,259
- 56. USP 4,961,007
- 57. USP 5,010,259
- 58. USP 5,018,107
- 59. USP 5,023,465
- 60. USP 5,031,149
- 61. USP 5,038,325
- 62. USP 5,038,327
- 63. USP 5,059,815
- 64. USP 5,086,238
- 65. USP 5,101,381
- 66. USP 5,103,113
- 67. USP 5,150,325
- 68. USP 5,151,616
- 69. USP 5,159,215
- 70. USP 5,197,033

- 71. USP 5,208,776
- 72. USP 5,245,576
- 73. USP 5,262,999
- 74. USP 5,264,743
- 75. USP 5,276,646
- 76. USP 5,297,097
- 77. USP 5,307,315
- 78. USP 5,311,476
- 79. USP 5,323,354
- 80. USP 5,347,488
- 81. USP 5,351,217
- 82. USP 5,377,156
- 83. USP 5,751,643
- 84. USP 5,912,564
- 85. EP 0 010 137
- 86. EP 0 197 505
- 87. GB 2184902A
- 88. GB 2204456A
- 89. JP 56-62066
- 90. JP 59-213090
- 91. JP 60-161467
- 92. ЈР 61-17929
- 93. ЛР 61-30846
- 94. JP 62-178013
- 95. JP 63-292488

- 96. ЛР 3-23590
- 97. WO 86/04724
- 98. Ishihara et al., "256k CMOS Dynamic RAM with Static Column Mode of Cycle Time of 50ns," Nikkei Electronics, pp. 243-263 (2/11/85)
- 99. "An analysis of Toshiba TC511000/TC511001 CMOS 1Mx1 DRAMs," Mosaid Inc., 25 pages (Aug. 1986)
- 100. IBM Technical Disclosure Bulletin, "High Performance Complementary Decoder/Driver Circuit," V. 29, No. 6 (Nov. 1986)
- IBM Technical Disclosure Bulletin, "Improved Decoder Circuits for CMOS Memory Arrays," V. 30, No. 2 (July 1987)
- G. Kitsukawa et al., "An Experimental 1-Mbit BiCMOS DRAM," IEEE Journal of Solid-State Circuits, Vol. SC-22, No. 5 (Oct. 1987)
- 103. Electronic Design, Vol. 36, No. 4, page 70 (2/18/88)
- 104. S. Fujii et al., "A 45ns 16Mb DRAM with Triple-Well Structure," 1989 IEEE International Solid-State Circuits Conference, pp. 248-249 (2/1989)
- T. Watanabe et al., "Comparison of CMOS and BiCMOS 1-Mbit DRAM Performance," IEEE Journal of Solid-State Circuits, V. 24, No. 3, pp.771-778 (June 1989)
- G. Kitsukawa et al. "A 1-Mbit BiCMOS DRAM Using Temperature-Compensation Circuit Techniques," IEEE Journal of Solid-State Circuits, Vol. 24, No. 3, pp. 597-601 (June 1989)
- S. Fujii et al., "A 45ns 16Mb DRAM with Triple-Well Structure," IEEE Journal Of Solid-State Circuits, pp. 1170-1174 (Oct. 1989)
- Y. Nakagomo et al., "A 1.5V Circuit Technology for 64 Mb DRAMs," 1990
   Symposium on VLSI Circuits, pp. 17-18 (July 1990)
- G. Kitsukawa et al. "A 23-ns I-Mb BiCMOS DRAM," IEEE Journal of Solid-State Circuits, Vol. 25, No. 5, pp. 1102-1111 (Oct. 1990)
- 110. Y. Nakagome et al., "An Experimental 1.5V 64Mb DRAM," IEEE Journal of Solid-State Circuits, Vol. 26, No. 4, pp. 465-472 (Apr 1991)
- P. Gillingham et al., "High-Speed High-Reliability Circuit Design for Megabit DRAM," IEEE Journal of Solid-State Circuits, Vol. 26, No. 8, pp. 1171-1175 (Aug. 1991)
- 112. Electronic Design, Vol. 40, No. 4, page 48 (2/20/92)

- 113. N.C.C. Lu et al., "A 20-ns 128-kbit x 4 High Speed DRAM with 330-Mbit/s Data Rate," IEEE Journal of Solid-State Circuits, Vol. 23, No. 5, pp. 1140-1149 (October 1988)
- 114. M. Aoki et al., "A 1.5-V DRAM for Battery-Based Applications," IEEE Journal of Solid-State Circuits, Vol. 24, No. 5, pp. 1206-1212 (October 1989)
- M. Aoki et al., "New DRAM Noise Generation Under Half-Vcc Precharge and its Reduction Using a Transposed Amplifier," IEEE Journal of Solid-State Circuits, Vol. 24, No. 4, pp. 889-894 (August 1989)
- 116. K.Arimoto et al., "A 60-ns 3.3V-only 16-Mbit DRAM with Multipurpose Register," IEEE Journal of Solid-State Circuits, Vol. 24, No. 5, pp. 1184-1189 (October 1989)
- 117. K. Arimoto et al., "A Speed-Enhanced DRAM Array Architecture with Embedded ECC," IEEE Journal of Solid-State Circuits, Vol. 25, No. 1, pp. 11-17 (February 1990)
- M. Asakura et al., "An Experimental 1-Mbit Cache DRAM with ECC," IEEE Journal of Solid-State Circuits, Vol. 25, No. 1, pp. 3-10 (February 1990)
- A.G. Eldin et al., "New Dynamic Logic and Memory Circuit Structures For BICMOS Technologies," IEEE Journal of Solid-State Circuits, Vol. SC-22, No. 3, pp. 450-453 (June 1987)
- S. Fujii et al., "A 50-µA Standby 1M x 1 / 256k x 4 CMOS DRAM with High-Speed Sense Amplifier," IEEE Journal of Solid-State Circuits, Vol. SC-21, No. 5, pp. 643-648 (October 1986)
- T. Furuyama et al., "An Experimental 4-Mbit CMOS DRAM," IEEE Journal of Solid-State Circuits, Vol. SC-21, No. 5, pp. 605-611 (October 1986)
- 122. R. Hori et al., "An Experimental 1 Mbit DRAM Based on High S/N Design," IEEE Journal of Solid-State Circuits, Vol. SC-19, No. 5, pp. 634-640 (October 1984)
- P. Gray et al., "MOS Operational Amplifier Design A Tutorial Overview," IEEE Journal of Solid-State Circuits, Vol. SC-17, No. 6, pp. 969-982 (December 1982)
- 124. M. Horiguchi et al., "A Tunable CMOS-DRAM Voltage Limiter with Stabilized Feedback Amplifier," IEEE Journal of Solid-State Circuits, Vol. 25, No. 5, pp. 1129-1135 (October 1990)
- 125. K. Itoh, "Trends in Megabit DRAM Circuit Design," IEEE Journal of Solid-State Circuits, Vol. 25, No. 3, pp. 778-789 (June 1990)

- 126. K. Kimura et al., "A 65-ns 4-Mbit CMOS DRAM with a Twisted Driveline Sense Amplifier," IEEE Journal of Solid-State Circuits, Vol. SC-22, No. 5, pp. 651-656 (October 1987)
- F. Matsoka et al., "A 256-Kbit Flash E<sup>2</sup>PROM Using Triple-Polysilicon Technology," IEEE Journal of Solid-State Circuits, Vol. SC-22, No. 4, pp. 548-552 (August 1987)
- 128. J. Miyamoto et al., "An Experimental 5V-Only 256-Kbit CMOS EEPROM with a High Performance Single-Polysilicon Cell," IEEE Journal of Solid-State Circuits, Vol. SC-21, No. 5, pp. 852-860 (October 1986)
- 129. M. Momodomi et al., "An Experimental 4\_Mbit CMOS EEPROM with a NAND-Structured Cell," IEEE Journal of Solid-State Circuits, Vol. 24, No. 5, pp. 1238-1243 (October 1989)
- Y. Nakagome et al., "Circuit Techniques for 1.5-3.6V Battery-Operated 64-Mb DRAM," IEEE Journal of Solid-State Circuits, Vol. 26, No. 7, pp. 1003-1010 (July 1991)
- 131. K. Ohta et al., "A 1-Mbit DRAM with 33-MHz Serial I/O Ports," IEEE Journal of Solid-State Circuits, Vol. SC-21, No. 5, pp. 649-654 (October 1986)
- S. Saito et al., "A 1-Mbit CMOS DRAM with Fast Page Mode and Static Column Mode," IEEE Journal of Solid-State Circuits, Vol. SC-20, No. 5, pp. 903-908 (October 1985)
- G. Samachisa et al., "A 128K Flash EEPROM Using Double-Polysilicon Technology," IEEE Journal of Solid-State Circuits, Vol. SC-22, No. 5, pp. 676-683 (October 1987)
- 134. R. Scheuerlein et al., "Shared Word Line DRAM Cell," IEEE Journal of Solid-State Circuits, Vol. SC-19, No. 5, pp. 640-645 (October 1984)
- 135. M. Takada et al., "A 4-Mbit DRAM with Half-Internal-Voltage Bit-Line Precharge," IEEE Journal of Solid-State Circuits, Vol. SC-21, No. 5, pp. 612-617 (October 1986)
- T. Takeshima et al., "Voltage Limiters for DRAM's with Substrate-Plate-Electrode Memory Cells," IEEE Journal of Solid-State Circuits, Vol. 23, No. 1, pp. 48-52 (February 1987)
- J. Witters et al., "Analysis and Modeling of On-Chip High-Voltage Generator Circuits for Use in EEPROM Circuits," IEEE Journal of Solid-State Circuits, Vol. 24, No. 5, pp. 1372-1380 (October 1989)
- 138. M. Horiguchi et al., "Dual-Operating-Voltage Scheme for a Single 5-V 16-Mbit DRAM," IEEE Journal of Solid-State Circuits, Vol. 23, No. 5, pp. 1128-1132

(October 1988)

- 139. R. Scheuerlein et al., "Offset Word-Line Architecture for Scaling DRAM's to the Gigabit Level," IEEE Journal of Solid-State Circuits, Vol. 23, No. 1, pp. 41-47 (February 1988)
- 140. "Analog MOS Integrated Circuits, II," Edited by P. Gray et al., IEEE Press (1989)
- 141. 'Digital MOS Integrated Circuits II with Applications to Processors and Memory Design," M. Elmasry, IEEE Press (1992)
- 142. "Digital MOS Integrated Circuits Design for Applications," by Niantsu Wang, Prentice Hall.
- 143. "Memory Products Development 16Mbit DRAM Crib Notes," Texas Instruments Inc., July 1990.
- 144. Third Party Prior Art Devices including at least the Toshiba TC511000/TC511001 CMOS 1Mx1 DRAM, Micron 1M x 4 CMOS DRAM, Micron 1M DRAM, Micron 4M DRAM, (see Micron 000001 through Micron 000188), and Texas Instruments 64M DRAM.

The '602, '643, '253, and '640 patents are unenforceable for inequitable conduct committed during its procurement before the USPTO. Particularly, among other things, five material references were withheld during the prosecution of the '602 patent with an intent to deceive the USPTO. In an effort to obtain the patent by misleading the USPTO, the attorneys or others involved in prosecuting the application that eventually issued as the '602 patent and/or the inventor named on the '602 patent – Valerie L. Lines – knowingly and intentionally withheld and failed to disclose the following references to the USPTO: (1) Fujii, Syuso et al., "A 45-ns 16-Mbit DRAM with Triple-Well Structure," IEEE Journal of Solid State Circuits, vol. 24, no. 5, Oct. 1989, pp. 1170-1174; (2) N.C.C. Lu et al., "A 20-ns 128-kbit x 4 High Speed DRAM with 330-Mbit/s Data Rate," IEEE Journal of Solid-State Circuits, Vol. 23, No. 5, Oct. 1988, pp. 1140-1149; (3) US Patent No. 4,857,763; (4) US Patent No. 4,692,638; and (5) US Patent No. 4,583,157. Mosaid knew of the withheld references during the prosecution of the '602 patent. The references are prior art to the '602 patent, and are material references, i.e., the USPTO

would have considered them important in its decision of whether to allow the '602 patent to issue.

The '643, '253, '640, '620, '201, and '581 patents (the "delayed patents") are unenforceable under the equitable defense of prosecution laches. Particularly, among other things, the claims of the delayed patents were first presented to the United States Patent and Trademark Office for examination after an unreasonable and inexcusable delay that caused injury to Samsung.

The '253 and '201 patents are invalid under the doctrine of double patenting.

Particularly, at least one or more of claims of the '253 patent are invalid for obviousness-type and/or statutory-type double patenting over claims of the '643 patent. In addition, at least one or more claims of the '201 patent are invalid for obviousness-type and/or statutory-type double patenting over claims of the '620 patent.

The '602, '643, '253, and '640 patents are invalid for failure to set forth the best mode contemplated by the inventor of carrying out her invention. The inventor failed to disclose the high voltage Vpp supply embodied in the Sanyo Fast 1M DRAM and shown in U.S Application 07/680,994 filed on April 5, 1991. In addition, the '602, '253, and '640 patents are invalid for failure to set forth the best mode contemplated by the inventor for failing to disclose the secondary decoder circuit and hot electron protection devices and/or other circuit elements embodied in the Sanyo Fast 1M DRAM.

The '620, '201, and '581 patents are invalid for failure to set forth the best mode contemplated by the inventors of carrying out their invention. The inventor failed to disclose the decoder circuit embodied in the Sanyo Fast 1M DRAM and shown in U.S Application 07/680,746 filed on April 5, 1991. In addition, the '620, '201, and '581 patents are invalid for

failure to set forth the best mode contemplated by the inventors for failing to disclose the dual pump scheme to prevent excessive standby power, and/or other circuit elements embodied in the Sanyo Fast 1M DRAM..

The '643 patent is invalid because the inventor did not invent all the subject matter described in the specification that were represented by the inventor as inventive embodiments.

Samsung identifies the following as individuals having knowledge of the factual bases supporting Samsung's contentions:

- I. Valerie L. Lines
- 2. Richard C. Foss
- 3. Peter B. Gillingham
- 4. Robert F. Harland
- 5. Michael Vladescu
- 6. Larry N. Anagnos
- 7. Donald R. Antonelli
- 8. Carl I. Brundidge
- 9. James N. Dresser
- 10. Melvin Kraus
- 11. Gregory E. Montone
- 12. Edward E. Pascal
- 13. Alan E. Schiavelli
- 14. James M. Smith
- 15. William I. Solomon

Samsung reserves the right to supplement this interrogatory response to include additional bases for invalidity and unenforceability.

#### INTERROGATORY NO. 4:

State in detail each of SAMSUNG's contentions that SAMSUNG does not infringe any claim of the MOSAID patents-in-suit, providing an identification of the documents that SAMSUNG contends supports such contentions, of the factual basis for such contentions, and of each person having knowledge of that factual basis.

## **RESPONSE TO INTERROGATORY NO. 4:**

Subject to and without waiving its previously asserted general and specific objections, Samsung responds as follows:

Samsung's products do not infringe claim 1 of the '602 patent because, amongst other reasons, Samsung's products do not include at least a high  $V_{pp}$  supply voltage source which is in excess of high logic level  $V_{dd}$  plus one transistor threshold voltage but less than a transistor damaging voltage and the means for selecting the word line and means for having an input driven by the selecting means for applying the  $V_{pp}$  supply voltage level directly to the word line through the source-drain circuit of an FET, as required by the claim.

Samsung's products do not infringe claims 2-5 of the '602 patent because, amongst other reasons, Samsung's products do not infringe the claim(s) from which claims 2-5 depend. Further, Samsung's products do not infringe claim 2 because Samsung's products do not include at least the selecting means comprised of means for receiving  $V_{dd}$  level logic inputs and for providing an output to said applying means at  $V_{pp}$  logic levels, the level  $V_{pp}$  being higher than the supply voltage  $V_{dd}$ , as required by the claim. Further, Samsung's products do not infringe claim 3 because Samsung's products do not include at least the applying means comprised of a level shifter connected to the high supply voltage source having an output connected to the gate of a pass transistor whose source is connected to the high supply voltage source, the word line

@PFDesktop\::ODMA/MHODMA/HBSR05;iManage;456749;1

JMS/jat

March 1, 2004

PATENT APPLICATION DOCKET NO.: 2037,1006-012

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Valerie L. Lines

Continuation Application of

Application No.:

10/463,194

Filed: June 17, 2003

For: DYNAMIC MEMORY WORD LINE DRIVER SCHEME

Date: 3-2-04

EXPRESS MAIL LABEL NO. EV 214 952 231 US

#### **INFORMATION DISCLOSURE STATEMENT**

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

This Information Disclosure Statement is submitted under 37 CFR 1.97(b) before the mailing date of a first office action on the merits in a Continuation Application.

Attached is "Defendants' Second Supplemental Responses to Mosaid Technologies Incorporated's First Set of Interrogatories (2-4)," pages 1-13, filed by the Defendants in litigation in an infringement action based on patents to which this application claims priority. The response to Interrogatory 3 includes the Defendants' contentions with respect to validity of patents to which this application claims priority. The interrogatory response refers to patents by their final three digits. Those patent references correspond to the following patents, and those indicated by asterisks are patents to which this application claims priority:

<b>'</b> 602	5,214,602*
<b>'</b> 643	5,751,643*
<b>'</b> 253	5,822,253*
<b>'</b> 640	6,278,640*
<b>'</b> 620	5,828,620
<b>'201</b>	6,055,201
<b>'581</b>	6,236,581

All of the references identified in that interrogatory response are being cited in this Information Disclosure Statement.

Also attached are the contentions of another Defendant, Infineon, with respect to patents to which this application claims priority. References cited in those contentions are also cited herein.

Other papers filed by the Defendants can be found in parent application 09/919,752, now U.S. patent 6,603,703.

Enclosed herewith is form PTO-1449 and copies of all foreign patent documents and other documents are attached. Since this application was filed after June 30, 2003, copies of issued U.S. patents and published U.S. applications are not required and are not being provided.

It is requested that the information disclosed herein be made of record in this application.

Please charge any deficiency in fees and credit any overpayment to Deposit Account 08-0380.

Respectfully submitted,

HAMILTON, BROOK, SMITH & REYNOLDS, P.C.

James M. Smith

Registration No.: 28,043 Telephone: (978) 341-0036 Facsimile: (978) 341-0136

Concord, MA 01742-9133

@IT Desktop:::ODMANITODMATIDSKO3,IVIalage,430731,1			
PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 2037.1006-012	CONT. OF APPLICAT 10/463,194	ION NO.
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	APPLICANT Valerie L. Lines		
March 2, 2004	FILING DATE	CONFIRMATION NO.	GROUP
(Use several sheets if necessary)			

	U.S. PATENT DOCUMENTS				
EXAM- INER INI- TIAL	REF. NO.	DOCUMENT NUMBER	ISSUE DATE / PUBLICATION DATE	NAME	
	AA	4,189,782	02/19/1980	Dingwall	
	AB	4,442,481	04/10/1984	Brahmbhatt	
	AC	4,583,157	04/15/1986	Kirsch et al.	
	AD	4,689,504	08/25/1987	Raghunathan et al.	
	AE	4,692,638	09/08/1987	Stiegler	
	AF	4,716,313	12/29/1987	Hori et al.	
	AG	4,730,132	03/08/1988	Watanabe et al.	
	АН	4,814,647	03/21/1989	Tran	
	AI	4,857,763	08/15/1989	Sakurai et al.	
	AJ	4,878,201	10/31/1989	Nakaizumi	
	AK	4,888,738	12/19/1989	Wong et al.	
	AA2	5,010,259	04/23/1991	Inoue et al.	
	AB2	5,031,149	07/09/1991	Matsumoto et al.	
	AC2	5,038,327	08/06/1991	Akaogi	
	AD2	5,150,325	09/22/1992	Yanagisawa et al.	
	AE2	5,347,488	09/13/1994	Matsusbita	
	AF2	5,351,217	09/27/1994	Jeon	
	AG2	5,377,156	12/27/1994	Watanabe et al.	
	AH2	4,814,647	03/21/1989	Tran	
	AI2	5,031,149	07/09/1991	Matsumoto et al.	
	AJ2	5,038,327	08/06/1991	Akaogi	
	AK2	5,751,643	05/12/1998	Lines	
	AA3	4,344,005	08/10/1982	Stewart	
	AB3	5,023,465	06/11/1991	Douglas et al.	
	AC3	3,801,831	04/02/1974	Dame	
	AD3	3,942,047	03/02/1976	Buchanan	

EXAMINER	DATE CONSIDERED

PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 2037.1006-012	CONT. OF APPLICATION NO. 10/463,194	
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	APPLICANT Valerie L. Lines		_
March 2, 2004	FILING DATE	CONFIRMATION NO. GROUP	
(Use several sheets if necessary)		1	

	U.S. PATENT DOCUMENTS				
EXAM- INER INI- TIAL	REF. NO.	DOCUMENT NUMBER	ISSUE DATE / PUBLICATION DATE	NAME	
	AE3	3,980,899	09/14/1976	Shimada et al.	
	AF3	4,000,412	12/28/1976	Rosenthal et al.	
	AG3	4,039,862	08/02/1977	Dingwall et al.	
-	АН3	4,080,539	03/21/1978	Stewart	
	AI3	4,208,595	06/17/1980	Gladstein	
	AJ3	4,271,461	06/02/1981	Hoffmann et al.	
	AK3	4,279,010	07/14/1981	Morihisa	
	AA4	4,307,333	12/22/1981	Hargrove	
	AB4	4,403,158	09/06/1983	Slemmer	
	AC4	4,433,253	02/21/1984	Zapisek	
	AD4	4,486,670	12/04/1984	Chan et al.	
	AE4	4,543,500	09/24/1985	McAlexander, et al.	
	AF4	4,581,546	04/08/1986	Allan	
	AG4	4,621,315	11/04/1986	Vaughn et al.	
	AH4	4,628,214	12/09/1986	Leuschner	
	AI4	4,642,798	02/10/1987	Rao	
	AJ4	4,656,373	04/07/1987	Plus	
	AK4	4,670,861	06/02/1987	Shu et al.	
	AA5	4,697,252	09/29/1987	Furuyama et al.	
	AB5	4,730,132	03/08/1988	Watanabe et al.	
	AC5	4,740,918	04/26/1988	Okajima et al.	
	AD5	4,751,679	06/14/1988	Dehganpour	
	AE5	4,798,977	01/17/1989	Sakui et al.	
	AF5	4,807,190	02/21/1989	Ishii et al.	
	AG5	4,811,304	03/07/1989	Matsuda et al.	

EXAMINER	DATE CONSIDERED
1	

PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 2037.1006-012	CONT. OF APPLICATE 10/463,194	ION NO.
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	APPLICANT Valerie L. Lines		
March 2, 2004	FILING DATE	CONFIRMATION NO.	GROUP
(Use several sheets if necessary)			

		U	.S. PATENT DOCUMENTS	
EXAM- INER INI- TIAL	REF. NO.	DOCUMENT NUMBER	ISSUE DATE / PUBLICATION DATE	NAME
i	AH5	4,837,462	06/06/1989	Watanabe et al.
	AI5	4,843,256	06/27/1989	Scade et al.
	AJ5	4,873,673	10/10/1989	Hori et al.
	AK5	4,881,201	11/14/1989	Sato et al.
	AA6	4,906,056	03/06/1990	Taniguchi
	AB6	4,951,259	08/21/1990	Sato et al.
	AC6	4,961,007	10/02/1990	Kumanoya et al.
	AD6	5,018,107	05/21/1991	Yoshida
	AE6	5,023,465	06/11/1991	Douglas et al.
	AF6	5,038,325	08/06/1991	Douglas et al.
	AG6	5,059,815	10/22/1991	Bill et al.
	АН6	5,086,238	02/04/1992	Watanabe et al.
	Al6	5,101,381	03/31/1992	Kouzi
	AJ6	5,103,113	04/07/1992	Inui et al.
	AK6	5,159,215	10/27/1992	Murotani
	AA7	5,197,033	03/23/1993	Watanabe et al.
	AB7	5,208,776	05/04/1993	Nasu et al.
	AC7	5,262,999	11/16/1993	Etoh et al.
	AD7	5,264,743	11/23/1993	Nakagome et al.
	AE7	5,276,646	01/04/1994	Kim et al.
	AF7	5,297,097	03/22/1994	Etoh et al.
	AG7	5,307,315	04/26/1994	Oowaki et al.
	AH7	5,311,476	05/10/1994	Kajimoto et al.
	AI7	5,323,354	06/21/1994	Matsumoto et al.
	AJ7	5,912,564	06/15/1999	Kai et al.
	AK7	4,612,462	09/16/1986	Asano et al.

EXAMINER	DATE CONSIDERED

PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 2037.1006-012	CONT. OF APPLICAT 10/463,194	ION NO.
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	APPLICANT Valerie L. Lines		
March 2, 2004	FILING DATE	CONFIRMATION NO.	GROUP
(Hise several sheets if necessary)			į.

	U.S. PATENT DOCUMENTS			
EXAM- INER INI- TIAL	REF. NO.	DOCUMENT NUMBER	ISSUE DATE / PUBLICATION DATE	NAME
	AA8	5,196,996	03/23/1993	Oh
	AB8	4,001,606	01/04/1977	Dingwall
	AC8	4,037,114	07/19/1977	Stewart et al.
	AD8	4,533,843	08/06/1985	McAlexander, III et al.
	AE8	4,616,303	10/07/1986	Mauthe
	AF8	4,639,622	01/27/1987	Goodwin et al.
	AG8	4,820,941	04/11/1989	Dolby et al.
	AH8	4,823,318	04/18/1989	D'Arrigo et al.
	Al8	5,151,616	09/29/1992	Komuro
	AJ8	3,761,899	09/25/1973	McKenny et al.
	AK8	4,216,390	08/05/1980	Stewart
	AA9	4,471,290	09/11/1984	Yamaguchi
-"	AB9	4,733,108	03/22/1988	Truong
	AC9	5,245,576	09/14/1993	Foss et al.
	AD9	4,678,941	07/07/1987	Chao et al.
	AE9	4,344,003	08/10/1982	Harmon et al.
	AF9	5,602,771	02/11/1997	Kajigaya et al.
	AG9	5,828,620	10/27/1998	Foss et al.
	АН9	6,236,581	05/22/2001	Foss et al.
	AI9	4,061,929	12/06/1977	Asano
	AJ9	4,029,973	06/14/1977	Kobayashi et al.
	AK9	4,045,691	08/30/1977	Asano
	AA10	4,330,852	05/18/1982	Redwine et al.

_			
ſ	EXAMINER	DATE CONSIDERED	
1			ľ
п	<u> </u>		

PTO-1449 REPRODUCED

## INFORMATION DISCLOSURE CITATION IN AN APPLICATION

March 2, 2004

(Use several sheets if necessary)

	Sheet 5 of 10
ATTORNEY DOCKET NO. 2037.1006-012	CONT. OF APPLICATION NO. 10/463,194
APPLICANT Valerie L. Lines	
FILING DATE	CONFIRMATION NO. GROUP

		FOREIGN PATENT	DOCUMENTS		
	DOCUMENT NUMBER	DATE	COUNTRY	TRANSLATION YES NO	
AL	JP 59-213090	12/01/1984	Japan	X	
AM	EP 0197505 A2	10/15/1986	Europe		
AN	JP 03-086995	08/30/1989	Japan	x	
AO	JP 3-23590	01/31/1991	Japan	x	
AP	JP 62-178013	05/08/1987	Japan	x	
AQ	JP 53-90835	08/10/1978	Japan	x	
AL2	JP 62-73638	05/12/1987	Japan	X	
AM2	EP 0010137 A1	04/30/1980	Europe		
AN2	GB 2184902A	07/01/1987	Great Britain		
AO2	GB 2204456A	11/09/1988	Great Britain		
AP2	JP 56-62066	05/27/1981	Japan .	X	
AQ2	JP 62-21323	01/29/1987	Japan	X	
AL3	JP 62-189816	08/19/1987	Japan	x	
AM3	JP 62-178013	08/05/1987	Japan	X	
AN3	WO 86/04724 A1	08/14/1986	PCT		
AO3	JP 63-292488	11/29/1988	Japan	x	
		****			
	<del>_</del>				
		-			
				-	
		_			

EXAMINER	DATE CONSIDERED
	l .

PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 2037.1006-012			
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	APPLICANT Valerie L. Lines			
March 2, 2004	FILING DATE	CONFIRMATION NO.	GROUP	
(Use several sheets if necessary)			ļ	

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)				
AR	Kitsukawa, Goro, et al., "An Experimental 1-Mbit BiCMOS DRAM," IEEE Journal of Solid-State Circuits, V. SC-22, No. 5, October 1987, pp. 657-662.			
AS	Ishihara, et al., "256k CMOS Dynamic RAM With Static Column Mode of Cycle Time of 50 ns," Nikkei Electronics, February 11, 1985, pp 243-263.			
АТ	Kitsukawa, Goro, et al., "A 1-Mbit BiCMOS DRAM Using Temperature-Compensation Circuit Techniques," <i>IEEE Journal of Solid-State Circuits</i> , V. 24, No. 3, June 1989, pp. 597-601.			
AU	Kitsukawa, Goro, et al., "A 23-ns 1-Mb BiCMOS DRAM," IEEE Journal of Solid-State Circuits, V. 25, No 5, October 1990, pp. 1102-1111.			
AV	Nakagome, Yoshinobu, et al, "An Experimental 1.5-V 64-Mb DRAM," IEEE Journal of Solid-State Circuits, V. 26, No. 4, April 1991, pp. 465-472.			
AW	Fujii, Syuso, et al., "A 45-ns 16-Mbit DRAM with Triple-Well Structure," IEEE Journal of Solid-State Circuits, V. 24, No. 5, October 1989, pp. 1170-1174.			
AX	Gillingham, Peter, et al., "High-Speed, High-Reliability Circuit Design for Megabit DRAM," <i>IEEE Journal of Solid-State Circuits</i> , V. 26, No. 8, August 1991, pp. 1171-1175.			
AY	Fujii, S., et al., "A 45ns 16Mb DRAM with Triple-Well Structure," 1989 IEEE International Solid-State Circuits Conference (ISSCC 89), Session 16: DYNAMIC RAMs, FAM 16.6, pp. 248-249, February 1989.			
AZ	Lu, N.C.C., et al., "A 20-ns 128-kbit x 4 High-Speed DRAM with 330-Mbit/s Data Rate", IEEE Journal of Solid-State Circuits, V. 23, No.5, pp. 1140-1149, October 1988.			
AR2	Lu, N.C.C., et al., "A 20ns 512Kb DRAM with 83MHz Page Operation" 1989 IEEE International Solid-State Circuits Conference (ISSCC 88), Session XVI: DYNAMIC MEMORY, FAM 16.3, February 1988.			
AS2	IBM Technical Disclosure Bulletin, "High Performance Complementary Decoder/Driver Circuit," V. 29, No. 6, November 1986, pp. 2390-2394.			
AT2	IBM Technical Disclosure Bulletin, "Improved Decoder Circuits for CMOS Memory Arrays," V. 30, No. 2, July 1987, pp. 664-666.			
AU2	"An Analysis of Toshiba TC511000/TC511001 CMOS 1Mx1 DRAMs," (Author Unknown), MOSAID Inc. pp. 29-36, 145-159, August 1986.			

EXAMINER	DATE CONSIDERED

(B) P Desktop C: Obi in the Hobbit of Hobbit of Heading C, 450751,1				
PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 2037.1006-012	CONT. OF APPLICATION NO. 10/463,194		
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	APPLICANT Valerie L. Lines			
March 2, 2004	FILING DATE	CONFIRMATION NO.	GROUP	
(Use several sheets if necessary)				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)		
AV2	Bursky, D., "Memory ICs," Electronic Design, V. 36, No. 4, pp. 71-81, February 1988.	
AW2	Kitsukawa, G., et al., "A 1-M BiCMOS DRAM Using Temperature- Compensation Circuit Technique," <i>IEEE Journal of Solid-State Circuits</i> , V. 24, No. 3, pp. 597-601, June 1989.	
AX2	Watanabe, T., et al., "Comparison of CMOS and BiCMOS 1-Mbit DRAM Performance," <i>IEEE Journal of Solid-State Circuits</i> , V. 24, No. 3, pp. 771-778, June 1989.	
AY2	Nakagome, Y., et al., "An Experimental 1.5-V 64-Mb DRAM," IEEE Journal of Solid-State Circuits," V. 26, No. 4, pp. 465-472, April 1991.	
AZ2	Nakagome, Y., et al., "A 1.5V Circuit Technology for 64Mb DRAMs," 1990 Symposium on VLSI Circuits, Honolulu, Hawaii, pp. 17-18, June 1990.	
AR3	Bursky, D., "Digital Technology," Electronic Design, V. 40, No. 4, pp. 48-61, February 1992.	
AS3	Schematics of Micron 1Mx4 DRAM MT4C4001DJ-8	
AT3	Aoki, Masakazu, et al., "A 1.5V DRAM for Battery-Based Applications," <i>IEEE Journal of Solid-State Circuits</i> , V. 24, No. 5, October 1989, pp. 1206-1212.	
AU3	Aoki, Masakazu, et al., "New DRAM Noise Generation Under Half-V <sub>CC</sub> Precharge and its Reduction Using a Transposed Amplifier," <i>IEEE Journal of Solid-State Circuits</i> , V. 24, No. 4, August 1989, pp. 889-894.	
AV3	Arimoto, Kazutami, et al., "A 60-ns 3.3-V-Only 16-Mbit DRAM with Multipurpose Register," <i>IEEE Journal of Solid-State Circuits</i> , V. 24, No. 5, October 1989, pp. 1184-1189.	
AW3	Arimoto, Kazutami, et al., "A Speed-Enhanced DRAM Array Architecture with Embedded ECC," IEEE Journal of Solid-State Circuits, V. 25, No. 1, February 1990, pp. 11-17.	
AX3	Asakura, Mikio, et al., "An Experimental 1-Mbit Cache DRAM with ECC," IEEE Journal of Solid-State Circuits, V. 25, No. 1, February 1990, pp. 5-10.	
AY3	Eldin, A.G., et al., "New Dynamic Logic and Memory Circuit Structures for BICMOS Technologies," IEEE Journal of Solid-State Circuits, V. SC-22, No. 3, June 1987, pp. 450-453.	

EXAMINER	DATE CONSIDERED	

(W) I Desktop Control (I I ODIVIA) I I DSK03, I VI I I I I E E E E E E E E E E E E E				
PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 2037.1006-012	CONT. OF APPLICATION NO. 10/463,194		
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	APPLICANT Valerie L. Lines			
March 2, 2004	FILING DATE	CONFIRMATION NO. GROUP		
(Use several sheets if necessary)				

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)	
AZ3	Fujii, Syuso, et al., "A 50-µA Standby 1Mx1/256Kx4 CMOS DRAM with High-Speed Sense Amplifier," IEEE Journal of Solid-State Circuits, V. SC-21, No. 5, October 1986, pp. 643-648.	
AR4	Furuyama, Tohru, et al., "An Experimental 4-Mbit CMOS DRAM," IEEE Journal of Solid-State Circuits, V. SC-21, No. 5, October 1986, pp. 605-611.	
AS4	Hori, Ryoichi, et al., "An Experimental 1 Mbit DRAM Based on High S/N Design," IEEE Journal of Solid-State Circuits, V. SC-19, No. 5, October 1984, pp. 634-640.	
AT4	Gray, Paul R., et al., "MOS Operational Amplifier Design – A Tutorial Overview," <i>IEEE Journal of Solid-State Circuits</i> , V. SC-17, No. 6, December 1982, pp. 969-982.	
AU4	Horiguchi, Masashi, et al., "A Tunable CMOS-DRAM Voltage Limiter with Stabilized Feedback Amplifier," IEEE Journal of Solid-State Circuits, V. 25, No. 5, October 1990, pp. 1129-1135.	
AV4 Itoh, Kiyoo, "Trends in Megabit DRAM Circuit Design," <i>IEEE Journal of Solid-State Circuits</i> , V. 25, No. 3, June 1990, pp. 778-789.		
AW4	Kimura, Katsutaka, et al., "A 65-ns 4-Mbit CMOS DRAM with a Twisted Driveline Sense Amplifier," <i>IEEE Journal of Solid-State Circuits</i> , V. SC-22, No. 5, October 1987, pp. 651-656.	
AX4	Masuoka, Fujio, et al., "A 256-kbit Flash E <sup>2</sup> PROM Using Triple-Polysilicon Technology," <i>IEEE Journal Solid-State Circuits</i> , V. SC-22, No. 4, August 1987, pp. 548-552.	
AY4	Miyamoto, Jun-Ichi, et al., "An Experimental 5-V-Only 256-kbit CMOS EEPROM with a High-Performance Single-Polysilicon Cell," <i>IEEE Journal of Solid-State Circuits</i> , V. SC-21, No. 5, October 19 pp. 852-861.	
AZ4	Momodomi, Masaki, et al., "An Experimental 4-Mbit CMOS EEPROM with a NAND-Structured Cell," <i>IEEE Journal of Solid-State Circuits</i> , V. 24, No. 5, October 1989, pp. 1238-1243.	
AR5	Nakagome, Yoshinobu, et al., "Circuit Techniques for 1.5–3.6-V Battery-Operated 64-Mb DRAM," IEEE Journal of Solid-State Circuits, V. 25, No. 7, July 1991, pp. 1003-1010.	
AS5	Ohta, Kiyoto, et al., "A 1-Mbit DRAM with 33-MHz Serial I/O Ports," IEEE Journal of Solid-State Circuits, V. SC-21, No. 5, October 1986, pp. 649-654.	

EXAMINER	DATE CONSIDERED	

@PFDesktopt.ODMA/MHODMA/HBSk03,livianage,430731,1			Sheet > 01 1
PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 2037.1006-012	CONT. OF APPLICAT 10/463,194	ION NO.
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	APPLICANT Valerie L. Lines		
March 2, 2004	FILING DATE	CONFIRMATION NO.	GROUP
(Use several sheets if necessary)			

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
AT5	Saito, Shozo, et al., "A 1-Mbit CMOS DRAM with Fast Page Mode and Static Column Mode," IEEE Journal of Solid-State Circuits, V. SC-20, No. 5, October 1985, pp. 903-908.		
AU5	Samachisa, Gheorghe, et al., "A 128K Flash EEPROM Using Double-Polysilicon Technology," <i>IEEE Journal of Solid-State Circuits</i> , V. SC-22, No. 5, October 1987, pp. 676-683.		
AV5	Scheuerlein, Roy E., et al., "Shared Word Line DRAM Cell," <i>IEEE Journal of Solid-State Circuits</i> , V. SC-19, No. 5, October 1984, pp. 640-645.		
AW5	Takada, Masahide, et al., "A 4-Mbit DRAM with Half-Internal-Voltae Bit-Line Precharge," <i>IEEE Journal of Solid-State Circuits</i> , V. SC-21, No. 5, October 1986, pp. 612-617.		
AX5	Takeshima, Toshio, et al., "Voltage Limiters for DRAM's with Substrate-Plate-Electrode Memory Cells," <i>IEEE Journal of Solid-State Circuits</i> , V. 23, No. 1, February 1988, pp. 48-52.		
AY5	Witters, Johan S., et al., "Analysis and Modeling of On-Chip High-Voltage Generator Circuits for Use in EEPROM Circuits," <i>IEEE Journal of Solid-State Circuits</i> , V. 24, No. 5, October 1989, pp. 1372-1380.		
AZ5	Horiguchi, Masashi, et al., "Dual-Operating-Voltage Scheme for a Single 5-V 16-Mbit DRAM," IEEE Journal of Solid-State Circuits, V. 23, No. 5, October 1988, pp. 1128-1133.		
AR6	Scheuerlein, Roy E., et al., "Offset Word-Line Architecture for Scaling DRAM's to the Gigabit Level," <i>IEEE Journal of Solid-State Circuits</i> , V. 23, No. 1, February 1988, pp. 41-47.		
AS6	Gray, Paul R., et al., Analog MOS Integrated Circuits, II, IEEE PRESS, 1988, pp. iv-vii, 22-23.		
AT6	Elmasry, Mohamed, editor. <u>Digital MOS Integrated Circuits II with Applications to Processors and Memory Design</u> , IEEE PRESS, 1992.		
AU6	Wang, Niantsu, <u>Digital MOS Integrated Circuits – Design for Applications</u> , Prentice Hall, 1990, pp. 240-245.		
AV6	Texas Instruments, Memory Products Development, "16Mbit DRAM Crib Notes," July 1990, pp. 12-13.		
· AW6	Martin, Ken, et al., "Effects of the Op Amp Finite Gain and Bandwidth on the Performance of Switched-Capacitor Filters," <i>IEEE Transactions on Circuits and Systems</i> , V. CAS-28, No. 8, August 1981, pp.134-141.		

1	EXAMINER	DATE CONSIDERED
ı		
ı		

@	@PFDesktop\::ODMA/MHODMA/HBSR05;iManage;456751;1			
-	PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 2037.1006-012	CONT. OF APPLICATION NO 10/463,194	
	INFORMATION DISCLOSURE CITATION IN AN APPLICATION	APPLICANT Valerie L. Lines		
1	March 2, 2004	FILING DATE	CONFIRMATION NO.	GROUP
ı	(Use several sheets if necessary)			

 OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
AX6	Johns, David A., et al., Analog Integrated Circuit Design, John Wiley & Sons, Inc., 1997, pp. 408, 410-411, 442-443.		
AY6	Keeth, Brent, et al., <u>DRAM Circuit Design</u> , Chapter 2, "The DRAM Array," John Wiley & Sons, Inc., 2000, pp. 35-68.		
AZ6	Reverse Engineering report – "An Analysis of the Toshiba TC511000/TC511001 CMOS 1Mx1 DRAMs," MOSAID, August 1986.		
AR7	Reverse Engineering full report – "An Analysis of the Toshiba TC511000/TC511001 CMOS 1Mx1 DRAMs," MOSAID, August 1986.		
AS7	Reverse Engineering report – Samsung KM44C4100BS-7, 6 pgs.		
AT7	Reverse Engineering report – "A Design Analysis of the TMS4164," MOSAID, August 1987.		
AU7	Reverse Engineering report – "An Analysis of the i2164A," MOSAID, April 1982.		
AV7	Reverse Engineering report – Samsung KM44S64230At-GL.		
AW7	Cenker, Ronald P., et al. "A Fault-Tolerant 64K Dynamic RAM," 1979 IEEE International Solid-State Circuits Conference, (ISSCC 79), Session XII: DYNAMIC MEMORIES, pp. 150-151 and 290, (February 1979).		
AX7	Hoffman, William K., et al., "An 8Kb Random-Access Memory Chip Using the One-Device FET Cell," <i>IEEE Journal of Solid-State Circuits</i> , V. SC-8, No. 5, October 1973, pp. 298-305.		
AY7	Komatsuzaki, K., et al., "Circuit Techniques for a Wide Word I/O Path 64 Meg DRAM," 1991 IEEE Symposium on VSLI Circuits, Session 14: Dynamic RAM II, May 30-June 1, 1991, pages 133-134.		

		_
EXAMINER	DATE CONSIDERED	
		1